





# Towards a Computational Linking Hypothesis for Syntactic Theory


**Aniello De Santo**  
he/him

University of Pittsburgh  
January 2024




Linguistics










- Modeling processing difficulty (De Santo 2019, 2021, 2022, a.o.)
- Evaluating/Contrasting syntactic analyses  
(De Santo & Shafiei 2019, Lee & De Santo 2022, a.o.)
- Gradience in acceptability judgment (De Santo 2020)
- Locality and Economy Considerations (De Santo & Lee 2022a)
- Online/Offline processing effects  
(De Santo & Lee 2022b, Lee & De Santo in prep., Jacobs, De Santo, Grobol in prep.)
- Memory traces of processing generalized quantifiers (De Santo et al. 2019, De Santo & Drury 2020)
- Theory building (De Santo & Rawski 2022, Baggio, De Santo, Nunez 2024)
- Animal Cognition (De Santo & Rawski, 2021)
- Complexity biases in typology and acquisition  
(De Santo 2018, Graf & De Santo 2020, De Santo & Gutierrez in prep., Johnson and De Santo 2023, in prep.)
- Computational parallels across linguistic modules  
(Aksenova & De Santo 2017, De Santo & Graf 2019, Miller & De Santo 2023, a.o.)
- Mapping syntactic and prosodic constituents (Vu, De Santo, Dolatian 2022)



- ▶ **Modeling processing difficulty** (De Santo 2019, 2021, 2022, a.o.)
- ▶ **Evaluating/Contrasting syntactic analyses**  
(De Santo & Shafiei 2019, Lee & De Santo 2022, a.o.)
- ▶ **Gradience in acceptability judgment** (De Santo 2020)
- ▶ **Locality and Economy Considerations** (De Santo & Lee 2022a)
- ▶ **Online/Offline processing effects**  
(De Santo & Lee 2022b, Lee & De Santo in prep., Jacobs, De Santo, Grobol in prep.)
- ▶ **Memory traces of processing generalized quantifiers** (De Santo et al. 2019, De Santo & Drury 2020)
- ▶ **Theory building** (De Santo & Rawski 2022, Baggio, De Santo, Nunez 2024)
- ▶ **Animal Cognition** (De Santo & Rawski, 2021)
- ▶ **Complexity biases in typology and acquisition**  
(De Santo 2018, Graf & De Santo 2020, De Santo & Gutierrez in prep., Johnson and De Santo 2023, in prep.)
- ▶ **Computational parallels across linguistic modules**  
(Aksenova & De Santo 2017, De Santo & Graf 2019, Miller & De Santo 2023, a.o.)
- ▶ **Mapping syntactic and prosodic constituents** (Vu, De Santo, Dolatian 2022)

# Let's Start with Data!

## Asymmetries in Italian Relative Clauses

Italian conforms to the general cross-linguistic preference for SRC over ORC (Adani et al. 2010; Arosio et al. 2018)

- (1) Il cavallo che ha inseguito i leoni  
The horse that has chased the lions  
"The horse that chased the lions" **SRC**
- (2) Il cavallo che i leoni hanno inseguito  
The horse that the lions have chased  
"The horse that the lions chased" **ORC**

**SRC > ORC**

## Postverbal Subjects and Ambiguity

Italian allows for postverbal subjects, making some sentences ambiguous (De Vincenzi 1991):

(3) Il cavallo che ha inseguito il leone

The horse that has chased the lion

a. “The horse that chased the lion”

**SRC**

b. “The horse that the lion chased”

**ORC<sub>p</sub>**

**SRC > ORC<sub>p</sub>**

Agreement can disambiguate:

(4) Il cavallo che hanno inseguito i leoni

The horse that have chased the lions

“The horse that the lions chased”

**ORC<sub>p</sub>**

## Postverbal Subjects and Ambiguity

Italian allows for postverbal subjects, making some sentences ambiguous (De Vincenzi 1991):

(3) Il cavallo che ha inseguito **il leone**

The horse that has chased the lion

a. “The horse that chased the lion”

**SRC**

b. “The horse that **the lion** chased”

**ORC<sub>p</sub>**

**SRC > ORC<sub>p</sub>**

Agreement can disambiguate:

(4) Il cavallo che hanno inseguito i leoni

The horse that have chased the lions

“The horse that the lions chased”

**ORC<sub>p</sub>**

## Postverbal Subjects and Ambiguity

Italian allows for postverbal subjects, making some sentences ambiguous (De Vincenzi 1991):

(3) Il cavallo che ha inseguito **il leone**

The horse that has chased the lion

a. “The horse that chased the lion”

**SRC**

b. “The horse that **the lion** chased”

**ORC<sub>p</sub>**

**SRC > ORC<sub>p</sub>**

Agreement can disambiguate:

(4) Il cavallo che hanno inseguito i leoni

The horse that have chased the lions

“The horse that the lions chased”

**ORC<sub>p</sub>**

## Asymmetries in Italian Relative Clauses

- (1) Il cavallo che ha inseguito i leoni  
The horse that has chased the lions  
“The horse that chased the lions” **SRC**
- (2) Il cavallo che i leoni hanno inseguito  
The horse that the lions have chased  
“The horse that the lions chased” **ORC**
- (4) Il cavallo che hanno inseguito i leoni  
The horse that have chased the lions  
“The horse that the lions chased” **ORCp**

Processing Asymmetry (De Vincenzi 1991, Arosio et al. 2018, a.o.)

**SRC > ORC > ORCp**

# One Big Question

**(How much) does grammatical structure matter  
in sentence processing?**



# One Big Question


**(How much) does grammatical structure matter  
in sentence processing?**



Syntax


# One Big Question

**(How much) does grammatical structure matter  
in sentence processing?**



# One Big Question

**(How much) does grammatical structure matter  
in sentence processing?**



# Forward to the Past

- ▶ What is the relation between grammatical operations and cognitive processes?

## Derivational Theory of Complexity (Miller and Chomsky, 1963)

- ▶ Processing complexity  $\sim$  length of a derivation  
(Fodor & Garrett 1967; Berwick & Weinberg 1983)
  - ▶ Essentially: there is a **cost** to mental computations.
- 
- ▶ What is the right notion of syntactic derivation?
  - ▶ What is costly? And why?


# Forward to the Past

- ▶ What is the relation between grammatical operations and cognitive processes?

## Derivational Theory of Complexity (Miller and Chomsky, 1963)


- ▶ Processing complexity  $\sim$  length of a derivation  
(Fodor & Garrett 1967; Berwick & Weinberg 1983)
  - ▶ Essentially: there is a **cost** to mental computations.
- 
- ▶ What is the right notion of syntactic derivation?
  - ▶ What is costly? And why?

# A Formal Model of Sentence Processing




- 1 An explicit syntactic theory → Minimalist grammars (MGs)

# A Formal Model of Sentence Processing



- 1 An explicit syntactic theory → Minimalist grammars (MGs)
- 2 A theory of how structures are built → Top-down parser


# A Formal Model of Sentence Processing



- 1 An explicit syntactic theory → Minimalist grammars (MGs)
- 2 A theory of how structures are built → Top-down parser
- 3 A psychologically grounded notion of cost → Memory Usage




# A Formal Model of Sentence Processing



- 1 An explicit syntactic theory → Minimalist grammars (MGs)
- 2 A theory of how structures are built → Top-down parser
- 3 A psychologically grounded notion of cost → Memory Usage

**Interpretability for the win!**


# Building Bridges




Theoretical Syntax

Sentence Processing

# Building Bridges



# Building Bridges



# Outline

- 1 Parsing Minimalist Grammars
- 2 Case Study: Italian Postverbal Subjects
- 3 Gradience in Acceptability
- 4 Conclusion

# Minimalist Grammars (MGs)

We need an explicit model of syntactic structures...




**Ed Stabler**

- ▶ Minimalist grammars (**MGs**): a formalization of Chomskyan syntax  
(Chomsky 1995; Stabler 1997)

## Technical details!


- ▶ Weakly equivalent to MCFGs
- ▶ Essentially: CFGs with a more complicated mapping from trees to strings

# MG Syntax: Derivation Trees




## Phrase Structure Tree

# MG Syntax: Derivation Trees




**Phrase Structure Tree**




**Derivation Tree**



# MG Syntax: Derivation Trees




**Phrase Structure Tree**



**Derivation Tree**

# The Job of a Parser

Who does Salem mock?




# The Job of a Parser

Who does Salem mock?





?




# The Job of a Parser

Who does Salem mock?



# The Job of a Parser


Who does Salem mock?



► Bottom-up


# The Job of a Parser

Who does Salem mock?



- ▶ Bottom-up
- ▶ Top-down

# The Job of a Parser



- ▶ Bottom-up
- ▶ **Top-down**
  - ▶ Psychologically plausible(-ish)
  - ▶ We can build bottom-up grammars top-down!
  - ▶ Big idealization: Parser as an oracle!

# Top-Down Parsing: The Intuition

Who does Salem mock?



# Top-Down Parsing: The Intuition

CP

Who does Salem mock?

- ▶ Builds the structure from top to bottom
- ▶ Takes elements in an out of memory
- ▶ Complexity of the structure  $\approx$  how much memory is used!

# Top-Down Parsing: The Intuition


CP  
|  
C'

Who does Salem mock?

- ▶ Builds the structure from top to bottom
- ▶ Takes elements in and out of memory
- ▶ Complexity of the structure  $\approx$  how much memory is used!

# Top-Down Parsing: The Intuition


Who does Salem mock?



- ▶ Builds the structure from top to bottom
- ▶ Takes elements in an out of memory
- ▶ Complexity of the structure  $\approx$  how much memory is used!

# Top-Down Parsing: The Intuition


Who does Salem mock?



- ▶ Builds the structure from top to bottom
- ▶ Takes elements in an out of memory
- ▶ Complexity of the structure  $\approx$  how much memory is used!

# Top-Down Parsing: The Intuition


Who does Salem mock?



- ▶ Builds the structure from top to bottom
- ▶ Takes elements in an out of memory
- ▶ Complexity of the structure  $\approx$  how much memory is used!

# Top-Down Parsing: The Intuition


Who does Salem mock?




- ▶ Builds the structure from top to bottom
- ▶ Takes elements in an out of memory
- ▶ Complexity of the structure  $\approx$  how much memory is used!

# Contrasting Derivations

**Memory Usage = 2**



**Memory Usage = 5**



# Summary of the Approach

## General Idea

(Kobele et al. 2012; Gerth 2015; Graf et al. 2017; De Santo 2020)

- 1 Pick two competing derivations for a processing contrast
- 2 Annotate derivation trees and compute memory usage
- 3 Evaluate effort over each
  - ▶ Lowest score means easiest!
- 4 Compare parser's prediction to experimental data



## Reminder: Asymmetries in Italian Relative Clauses

- (1) Il cavallo che ha inseguito i leoni  
The horse that has chased the lions  
“The horse that chased the lions” **SRC**
- (2) Il cavallo che i leoni hanno inseguito  
The horse that the lions have chased  
“The horse that the lions chased” **ORC**
- (4) Il cavallo che hanno inseguito i leoni  
The horse that have chased the lions  
“The horse that the lions chased” **ORCp**

Processing Asymmetry (De Vincenzi 1991, Arosio et al. 2018, a.o.)

**SRC > ORC > ORCp**

# Modeling Assumptions

## Reminder:

- ▶ Parsing strategy  
⇒ Top-down parser
- ▶ Complexity Metrics  
⇒ Memory Usage

## Degrees of freedom: Syntactic analyses

- 1 RC constructions → Kayne (1994)
- 2 Postverbal subjects → Belletti & Leonini (2004)

# Modeling Assumptions

## Reminder:

- ▶ Parsing strategy  
⇒ Top-down parser
- ▶ Complexity Metrics  
⇒ Memory Usage

## Degrees of freedom: Syntactic analyses

- 1 RC constructions → Kayne (1994)
- 2 Postverbal subjects → Belletti & Leonini (2004)

## Modeling Results

- |     |   |             |
|-----|---|-------------|
| (1) | Il cavallo che ha inseguito i leoni<br>The horse that has chased the lions<br>“The horse that chased the lions”     | <b>SRC</b>  |
| (2) | Il cavallo che i leoni hanno inseguito<br>The horse that the lions have chased<br>“The horse that the lions chased” | <b>ORC</b>  |
| (4) | Il cavallo che hanno inseguito i leoni<br>The horse that have chased the lions<br>“The horse that the lions chased” | <b>ORCp</b> |

SRC > ORC > ORCp

# Modeling Results

- |     |   |             |
|-----|---|-------------|
| (1) | Il cavallo che ha inseguito i leoni<br>The horse that has chased the lions<br>“The horse that chased the lions”     | <b>SRC</b>  |
| (2) | Il cavallo che i leoni hanno inseguito<br>The horse that the lions have chased<br>“The horse that the lions chased” | <b>ORC</b>  |
| (4) | Il cavallo che hanno inseguito i leoni<br>The horse that have chased the lions<br>“The horse that the lions chased” | <b>ORCp</b> |

	SRC	>	ORC	>	ORCp
Memory	8/che		11/ha		16/Foc

# Modeling Results

- |     |   |             |
|-----|---|-------------|
| (1) | Il cavallo che ha inseguito i leoni<br>The horse that has chased the lions<br>“The horse that chased the lions”     | <b>SRC</b>  |
| (2) | Il cavallo che i leoni hanno inseguito<br>The horse that the lions have chased<br>“The horse that the lions chased” | <b>ORC</b>  |
| (4) | Il cavallo che hanno inseguito i leoni<br>The horse that have chased the lions<br>“The horse that the lions chased” | <b>ORCp</b> |

	SRC	>	ORC	>	ORCp	
Memory	8/che		11/ha		16/Foc	✓

# Results across Constructions (De Santo 2019)

Clause Type	<Memory>
obj. SRC > ORC	✓
obj. SRC > ORCp	✓
obj. ORC > ORCp	✓
subj. SRC > ORC	✓
subj. SRC > ORCp	✓
subj. ORC > ORCp	✓
matrix SVO > VOS	✓
VS unacc > VS unerg	✓

Table: Predictions of the MG parser by contrast.

# Results across Analyses (De Santo 2021)

Postverbal	RC Type	SRC < ORC	SRC < ORC <sub>p</sub>	ORC < ORC <sub>p</sub>
		MEMORY	MEMORY	MEMORY
Smuggling	Promotion	✓	✓	✓
	Wh-movement	✓	✓	✓
	Extraposition	✓	✓	✓
	DP analysis	✓	✓	✓
Scrambling	Promotion	✓	✓	✓
	Wh-movement	✓	✓	✓
	Extraposition	✓	tie	tie
	DP analysis	✓	tie	tie

**Table:** Predictions of the MG parser for the RC contrast by analysis.



# Interim Summary

- ▶ This model gives surprisingly good results!
  - ▶ Simplistic model of processing:
    - “just” **(fine-grained) structural differences!**

# Interim Summary

- ▶ This model gives surprisingly good results!
  - ▶ Simplistic model of processing:
    - “just” **(fine-grained) structural differences!**

# Interim Summary

- ▶ This model gives surprisingly good results!
  - ▶ Simplistic model of processing:
    - “just” **(fine-grained) structural differences!**
- ▶ Asymmetries in Italian postverbal subjects
  - ▶ Expand range of syntactic constructions/analyses  
(De Santo 2021, De Santo & Shafiei 2019, in prep.)
  - ▶ Cross-linguistic comparison  
(Del Valle & De Santo, 2023;  
Fiorini, Chang, De Santo, 2023)



Nazila Shafiei



Dan Del Valle



Matteo Fiorini



Jillian Chang

# Processing Asymmetries All the Way Down

Memory metrics make correct predictions cross-linguistically!


## Across Constructions

- ▶ Right > center embedding (Kobele et al. 2012)
- ▶ Crossing > nested dependencies (Kobele et al. 2012)
- ▶ SRC > ORC (Graf et al. 2017, De Santo 2020)
- ▶ Postverbal subjects in Romance  
(De Santo 2019, 20, Del Valle & De Santo 2023)
- ▶ Attachment ambiguities  
(De Santo & Shafiei 2019, Lee & De Santo 2022)
- ▶ Structural Priming (De Santo 2020, 2021)


## Across Languages

- ▶ English, German, Italian, Spanish, French, Korean, Japanese, Mandarin Chinese, Basque, Turkish, Persian, ...

# Moving on



# Moving on



# Acceptability and Grammaticality

- 1 What do you think that John bought *t*?
- 2 \*What do you wonder whether John bought *t*?

# Acceptability and Grammaticality

- 1 What do you think that John bought *t*?
- 2 \*What do you wonder whether John bought *t*?

*One way to test the **adequacy of a grammar** proposed for [language] *L* is to determine whether or not the sequences that it generates are actually grammatical, i.e., **acceptable** [...]*

*(Chomsky 1957)*



# Acceptability and Grammaticality

- 1 What do you think that John bought *t*?
- 2 \*What do you wonder whether John bought *t*?


*One way to test the **adequacy of a grammar** proposed for [language] *L* is to determine whether or not the sequences that it generates are actually grammatical, i.e., **acceptable** [...]*

*(Chomsky 1957)*

Acceptability judgments  $\approx$  Grammaticality judgments


# Gradience in Acceptability Judgments

- 1 What do you think that John bought *t*?
- 2 \*What do you wonder whether John bought *t*?



## Gradience in Acceptability Judgments

- 1 What do you think that John bought *t*?
- 2 \*What do you wonder whether John bought *t*?
- 3 Who *t* thinks that John bought a car?
- 4 Who *t* wonders whether John bought a car?



## Gradience in Acceptability Judgments

- 1 What do you think that John bought *t*?
- 2 \*What do you wonder whether John bought *t*?
- 3 Who *t* thinks that John bought a car?
- 4 Who *t* wonders whether John bought a car?



# Gradient Acceptability and Categorical Grammars

Acceptability judgments are not binary but *gradient*:

*An adequate linguistic theory will have to recognize **degrees of grammaticality** [...] there is little doubt that speakers can fairly consistently order new utterances, never previously heard, with respect to their **degree of belongingness to the language**.*

*(Chomsky 1975: 131-132)*

But mainstream syntactic theories rely on categorical grammars!

# Gradient Acceptability and Categorical Grammars

Acceptability judgments are not binary but *gradient*:

*An adequate linguistic theory will have to recognize **degrees of grammaticality** [...] there is little doubt that speakers can fairly consistently order new utterances, never previously heard, with respect to their **degree of belongingness to the language**.*

*(Chomsky 1975: 131-132)*

But mainstream syntactic theories rely on categorical grammars!

# (Quantitative) Models of Gradiance

## **Gradient Grammars** (Keller 2000; Lau et al. 2014)

- ▶ OT-style constraint ranking
- ▶ Probabilistic grammars

## **Extra-grammatical Factors** (Chomsky 1975; Schütze 1996)

- ▶ Processing effects
  - ▶ Plausibility
  - ▶ Working memory limitations
  - ▶ **But:** few models for quantitative predictions!

## Hypothesis

We can use the MG parser to test the relation between categorical grammar, processing difficulty, and gradiance!

# (Quantitative) Models of Gradiance

## **Gradient Grammars** (Keller 2000; Lau et al. 2014)

- ▶ OT-style constraint ranking
- ▶ Probabilistic grammars

## **Extra-grammatical Factors** (Chomsky 1975; Schütze 1996)

- ▶ Processing effects
  - ▶ Plausibility
  - ▶ Working memory limitations
  - ▶ **But:** few models for quantitative predictions!

## Hypothesis

We can use the MG parser to test the relation between categorical grammar, processing difficulty, and gradiance!



## A Proof of Concept: Island Effects

- 1 What do you think that John bought *t*?
- 2 What do you wonder whether John bought *t*?
- 3 Who *t* thinks that John bought a car?
- 4 Who *t* wonders whether John bought a car?

Results in pairwise comparisons ideal for the MG parser

## A Proof of Concept: Island Effects

- 1 **What** do you think that John bought *t*?
- 2 **What** do you wonder whether John bought *t*?
- 3 **Who** *t* thinks that John bought a car?
- 4 **Who** *t* wonders whether John bought a car?

### Gradience in Islands: Sprouse et al. (2012)

A factorial design for islands effects:

- 1 GAP POSITION: Matrix vs. Embedded
- 2 STRUCTURE: Island vs. Non-Island  
(Kluender & Kutas 1993)

Results in pairwise comparisons ideal for the MG parser

# A Proof of Concept: Island Effects

- |   |   |                       |
|---|---|-----------------------|
| 1 | What do you think that John bought <i>t</i> ?     | Non-Island — Embedded |
| 2 | What do you wonder whether John bought <i>t</i> ? | Island — Embedded     |
| 3 | Who <i>t</i> thinks that John bought a car?       | Non-Island — Matrix   |
| 4 | Who <i>t</i> wonders whether John bought a car?   | Island — Matrix       |

## Gradience in Islands: Sprouse et al. (2012)

A factorial design for islands effects:

- 1 GAP POSITION: Matrix vs. Embedded
- 2 STRUCTURE: Island vs. Non-Island  
(Kluender & Kutas 1993)

Results in pairwise comparisons ideal for the MG parser

## A Proof of Concept: Island Effects

- |   |   |                       |
|---|---|-----------------------|
| 1 | What do you think that John bought <i>t</i> ?     | Non-Island — Embedded |
| 2 | What do you wonder whether John bought <i>t</i> ? | Island — Embedded     |
| 3 | Who <i>t</i> thinks that John bought a car?       | Non-Island — Matrix   |
| 4 | Who <i>t</i> wonders whether John bought a car?   | Island — Matrix       |

### Gradience in Islands: Sprouse et al. (2012)

A factorial design for islands effects:

- 1 GAP POSITION: Matrix vs. Embedded
- 2 STRUCTURE: Island vs. Non-Island  
(Kluender & Kutas 1993)

Results in pairwise comparisons ideal for the MG parser

# Sprouse et al. (2012)

## FOUR ISLAND TYPES

### Subject islands

- ▶ **What** do you think the speech about *t* interrupted the show about global warming?

### Adjunct islands

- ▶ **What** do you laugh if John leaves *t* at the office?

### Complex NP islands

- ▶ **What** did you make the claim that John bought *t*?

### Whether islands

- ▶ **What** do you wonder whether John bought *t*?

## GAP POSITION × STRUCTURE

- 1 Matrix vs. Embedded
- 2 Island vs. Non-Island

# Sprouse et al. (2012)

## FOUR ISLAND TYPES

### Subject islands

- ▶ **What** do you think the speech about *t* interrupted the show about global warming?

### Adjunct islands

- ▶ **What** do you laugh if John leaves *t* at the office?

### Complex NP islands

- ▶ **What** did you make the claim that John bought *t*?

### Whether islands

- ▶ What do you wonder whether John bought *t*?

## GAP POSITION × STRUCTURE

- 1 Matrix vs. Embedded
- 2 Island vs. Non-Island

# Modeling Results (De Santo 2020)

Island Type	Sprouse et al. (2012)		MG Parser
Subj. Island 1	Subj. — Non Isl.	> Obj. — Non Isl.	✓
	Subj. — Non Isl.	> Obj. — Isl.	✓
	Subj. — Non Isl.	> Subj. — Isl.	✓
	Obj. — Non Isl.	> Obj. — Isl.	✓
	Obj. — Non Isl.	> Subj. — Isl.	✓
	Obj. — Isl.	> Subj. — Isl.	✗
Subj. Island 2	Matrix — Non Isl.	> Emb. — Non Isl.	✓
	Matrix — Non Isl.	> Matrix — Isl.	✓
	Matrix — Non Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Matrix — Isl.	✓
	Emb. — Non Isl.	> Emb. — Isl.	✓
Adj. Island	Matrix — Non Isl.	> Emb. — Non Isl.	✓
	Matrix — Non Isl.	> Matrix — Isl.	✓
	Matrix — Non Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Matrix — Isl.	✓
	Emb. — Non Isl.	> Emb. — Isl.	✓
CNP Island	Matrix — Non Isl.	> Emb. — Non Isl.	✓
	Matrix — Non Isl.	= Matrix — Isl.	✓
	Matrix — Non Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Matrix — Isl.	✓
	Emb. — Non Isl.	> Emb. — Isl.	✓

# Modeling Results (De Santo 2020)

Island Type	Sprouse et al. (2012)		MG Parser
Subj. Island 1	Subj. — Non Isl.	> Obj. — Non Isl.	✓
	Subj. — Non Isl.	> Obj. — Isl.	✓
	Subj. — Non Isl.	> Subj. — Isl.	✓
	Obj. — Non Isl.	> Obj. — Isl.	✓
	Obj. — Non Isl.	> Subj. — Isl.	✓
	<b>Obj. — Isl.</b>	<b>&gt; Subj. — Isl.</b>	✗
Subj. Island 2	Matrix — Non Isl.	> Emb. — Non Isl.	✓
	Matrix — Non Isl.	> Matrix — Isl.	✓
	Matrix — Non Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Matrix — Isl.	✓
	Emb. — Non Isl.	> Emb. — Isl.	✓
Adj. Island	Matrix — Non Isl.	> Emb. — Non Isl.	✓
	Matrix — Non Isl.	> Matrix — Isl.	✓
	Matrix — Non Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Matrix — Isl.	✓
	Emb. — Non Isl.	> Emb. — Isl.	✓
CNP Island	Matrix — Non Isl.	> Emb. — Non Isl.	✓
	Matrix — Non Isl.	= Matrix — Isl.	✓
	Matrix — Non Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Emb. — Isl.	✓
	Matrix — Isl.	> Matrix — Isl.	✓
	Emb. — Non Isl.	> Emb. — Isl.	✓

TL;DR

Success in all cases but one!



# Subject Island: Case 1

- (5) a. **What** do you think the speech interrupted ***t***?      Obj — Non Island
- b. **What** do you think ***t*** interrupted the show?      Subj — Non Island
- c. **What** do you think the speech about global warming interrupted the show about ***t***?      Obj — Island
- d. **What** do you think the speech about ***t*** interrupted the show about global warming?      Subj — Island

Sprouse et al. (2012)			MG Parser	Clause Type	MaxT	SumS
Subj. — Non Isl.	>	Obj. — Non Isl.	✓	Obj./Non Island	14/ <i>do</i>	19
Subj. — Non Isl.	>	Obj. — Isl.	✓	Subj./Non Island	11/ <i>do</i>	14
Subj. — Non Isl.	>	Subj. — Isl.	✓	Obj./Island	23/ <i>T2</i>	22
Obj. — Non Isl.	>	Obj. — Isl.	✓	Subj./Island	15/ <i>do</i>	20
Obj. — Non Isl.	>	Subj. — Isl.	✓			
Obj. — Isl.	>	Subj. — Isl.	✗			

# Subject Island: Case 1

- (5) a. **What** do you think the speech interrupted ***t***?      Obj — Non Island
- b. **What** do you think ***t*** interrupted the show?      Subj — Non Island
- c. **What** do you think the speech about global warming interrupted the show about ***t***?      Obj — Island
- d. \* **What** do you think the speech about ***t*** interrupted the show about global warming?      Subj — Island

Sprouse et al. (2012)			MG Parser	Clause Type	MaxT	SumS
Subj. — Non Isl.	>	Obj. — Non Isl.	✓	Obj./Non Island	14/ <i>do</i>	19
Subj. — Non Isl.	>	Obj. — Isl.	✓	Subj./Non Island	11/ <i>do</i>	14
Subj. — Non Isl.	>	Subj. — Isl.	✓	Obj./Island	23/ <i>T2</i>	22
Obj. — Non Isl.	>	Obj. — Isl.	✓	Subj./Island	15/ <i>do</i>	20
Obj. — Non Isl.	>	Subj. — Isl.	✓			
Obj. — Isl.	>	Subj. — Isl.	✗			

# Subject Island: Case 2

- (6) a. **Who** *t* thinks the speech interrupted the primetime TV show?

Matrix — Non Island

- b. **What** do you think *t* interrupted the primetime TV show?

Emb. — Non Island

- c. **Who** *t* thinks the speech about global warming interrupted the primetime TV show?

Matrix — Island

- d. **What** do you think the speech about *t* interrupted the primetime TV show?

Emb. — Island

Sprouse et al. (2012)			MG Parser
Matrix — Non Isl.	>	Emb. — Non Isl.	✓
Matrix — Non Isl.	>	Matrix — Isl.	✓
Matrix — Non Isl.	>	Emb. — Isl.	✓
Matrix — Isl.	>	Emb. — Isl.	✓
Matrix — Isl.	>	Matrix — Isl.	✓
Emb. — Non Isl.	>	Emb. — Isl.	✓

Clause Type	MaxT	SumS
Matrix — Non Isl.	5/ <i>C</i>	9
Emb. — Non Isl.	11/ <i>do</i>	14
Matrix — Isl.	11/ <i>T<sub>RC</sub></i>	9
Emb. — Isl.	17/ <i>T<sub>RC</sub></i>	20

# Summary

## Gradience from a categorical MG grammar?

- ▶ The **first** (quantitative) model of this kind!
- ▶ Overall, a success!  $\Rightarrow$  **just** from structural differences!
- ▶ Outlier is expected assuming grammaticalized constraints.

## The tip of the iceberg!

- ▶ Modulate range of dependencies
- ▶ Other examples of gradience
- ▶ Cognitive vs. grammatical constraints? (Ferrara-Boston 2012)
- ▶ Syntactic constraints  $\sim$  pruning the parsing space (Stabler 2013, Graf & De Santo 2020)
- ▶ Economy principles (De Santo & Lee 2022)

# Summary

## Gradiance from a categorical MG grammar?

- ▶ The **first** (quantitative) model of this kind!
- ▶ Overall, a success!  $\Rightarrow$  **just** from structural differences!
- ▶ Outlier is expected assuming grammaticalized constraints.

## The tip of the iceberg!

- ▶ Modulate range of dependencies
- ▶ Other examples of gradiance
- ▶ Cognitive vs. grammatical constraints? (Ferrara-Boston 2012)
- ▶ Syntactic constraints  $\sim$  pruning the parsing space (Stabler 2013, Graf & De Santo 2020)
- ▶ Economy principles (De Santo & Lee 2022)

# Summary


## Gradience from a categorical MG grammar?

- ▶ The **first** (quantitative) model of this kind!
- ▶ Overall, a success!  $\Rightarrow$  **just** from structural differences!
- ▶ Outlier is expected assuming grammaticalized constraints.

## The tip of the iceberg!

- ▶ Modulate range of dependencies
- ▶ Other examples of gradience
- ▶ Cognitive vs. grammatical constraints? (Ferrara-Boston 2012)
- ▶ Syntactic constraints  $\sim$  pruning the parsing space  
(Stabler 2013, Graf & De Santo 2020)
- ▶ Economy principles (De Santo & Lee 2022)

# From the Trees (back) to the Forest



*Within the program of research proposed here, joint work by linguists, computer scientists, and psychologists could lead to a deeper scientific understanding of the role of language in cognition.*

*(Bresnan 1978: pg. 59)*


# Looking Ahead: A Collaborative Enterprise




MG Parsing




# Looking Ahead: A Collaborative Enterprise




# Looking Ahead: A Collaborative Enterprise




# Looking Ahead: A Collaborative Enterprise




# Looking Ahead: A Collaborative Enterprise




# Looking Ahead: A Collaborative Enterprise



# Looking Ahead: A Collaborative Enterprise



# Looking Ahead: A Collaborative Enterprise



# Looking Ahead: A Collaborative Enterprise





# Selected References I

- 1** Chomsky, N. (1995). The minimalist program. Cambridge, Mass.: MIT Press.
- 2** De Santo, A. (2019). Testing a Minimalist grammar parser on Italian relative clause asymmetries. In *Proceedings of CMCL 2019*, June 6 2019, Minneapolis, Minnesota.
- 3** De Santo, A. (2020). MG Parsing as a Model of Gradient Acceptability in Syntactic Islands. (To appear) In *Proceedings of SCiL 2020*, Jan 2-5, New Orleans.
- 4** De Santo, A. and Shafiei, N. (2019). On the structure of relative clauses in Persian: Evidence from computational modeling and processing effects. *Talk at the NACIL2*, April 19-21 2019, University of Arizona.
- 5** De Santo, A. and Lee, So Young. (2022a). Evaluating Structural Economy Claims in Relative Clause Attachment. In *Proceedings of SCiL 2022*.
- 6** De Santo, A. and Lee, So Young. (2022b). Pseudo-relative clause effects on the online processing of Italian relative clause attachment. Poster at *HSP 2022*.
- 7** Graf, T. and Monette, J. and Zhang, C. (2017). Relative Clauses as a Benchmark for Minimalist Parsing. *Journal of Language Modelling*.
- 8** Grillo, N., & Costa, J. (2014). A novel argument for the universality of parsing principles. *Cognition*, 133(1), 156-187.
- 9** Kobele, G.M., Gerth S., and Hale, J. (2012). Memory resource allocation in top-down minimalist parsing. In *Formal Grammar*, pages 32–51. Springer.
- 10** Stabler, E.P. (2013). Bayesian, minimalist, incremental syntactic analysis. *Topics in Cognitive Science* 5:611–633.
- 11** Stabler, E.P. (1997). Derivational minimalism. In *Logical aspects of computational linguistics*, ed. Christian Retore, volume 1328 of *Lecture Notes in Computer Science*, 68–95. Berlin: Springer.

# Appendix


# Why MGs?

- 1 Vast analytical coverage
  - ▶ MGs handle virtually all analyses in the generative literature
- 2 Centrality of derivation trees
  - ▶ MGs can be viewed as CFGs with a more complicated mapping from trees to strings
- 3 Simple parsing algorithms
  - ▶ Variant of a recursive descent parser for CFGs
    - ⇒ cf. TAG (Rambow & Joshi, 1995; Demberg, 2008)


# Some Important Properties of MGs

- ▶ MGs are weakly equivalent to MCFGs and thus mildly context-sensitive. (Harkema 2001, Michaelis 2001)
- ▶ But we can decompose them into two finite-state components: (Michaelis et al. 2001, Koble et al. 2007, Monnich 2006)
  - ▶ a regular language of well-formed derivation trees
  - ▶ an MSO-definable mapping from derivations to phrase structure trees
- ▶ **Remember:** Every regular tree language can be re-encoded as a CFG (with more fine-grained non-terminal labels). (Thatcher 1967)

# Fully Specified Derivation Trees



Phrase Structure Tree



Derivation Tree

# Technical Fertility of MGs

MGs can accommodate the full syntactic toolbox:

- ▶ sideways movement (Stabler, 2006; Graf 2013)
- ▶ affix hopping (Graf 2012; Graf2013)
- ▶ clustering movement (Gartner & Michaelis 2010)
- ▶ tucking in (Graf 2013)
- ▶ ATB movement (Kobebe 2008)
- ▶ copy movement (Kobebe 2006)
- ▶ extraposition (Hunter & Frank 2014)
- ▶ Late Merge (Kobebe 2010; Graf 2014)
- ▶ Agree (Kobebe 2011; Graf 2011)
- ▶ adjunction (Fowlie 2013; Hunter 2015)
- ▶ TAG-style adjunction (Graf 2012)

# Why These Metrics?

- ▶ These complexity metrics are all related to **storage cost** (cf. Gibson, 1998)
- ▶ We could implement alternative ones (cf. Ferrara-Boston, 2012)
  - ▶ number of bounding nodes / phases
  - ▶ surprisal
  - ▶ feature intervention
  - ▶ status of discourse referents
  - ▶ integration, retrieval, ...
- ▶ We want to keep the model **simple** (but not **trivial**):
  - ▶ Tenure and Size only refer to the geometry of the derivation
  - ▶ they are sensitive the specifics of tree-traversal (cf. node-count; Hale, 2001)

# Why These Metrics?

- ▶ These complexity metrics are all related to **storage cost** (cf. Gibson, 1998)
- ▶ We could implement alternative ones (cf. Ferrara-Boston, 2012)
  - ▶ number of bounding nodes / phases
  - ▶ surprisal
  - ▶ feature intervention
  - ▶ status of discourse referents
  - ▶ integration, retrieval, ...
- ▶ We want to keep the model **simple** (but not **trivial**):
  - ▶ Tenure and Size only refer to the geometry of the derivation
  - ▶ they are sensitive the specifics of tree-traversal (cf. node-count; Hale, 2001)



# Incremental Top-Down Parsing

## Technical details!

- ▶ String-driven recursive descent parser (Stabler 2013)

▶ ● Who ● does ● Salem ● T ● mock

- step 1 CP is conjectured
- step 2 CP expands to C'
- step 3 C' expands to does and TP
- step 4 TP expands to Salem and T'
- step 5 T' expands to T and VP
- step 6 VP expands to mock and who
- step 7 who is found
- step 8 does is found
- step 9 Salem is found
- step 10 T is found
- step 11 mock is found

# Incremental Top-Down Parsing

## Technical details!

- ▶ String-driven recursive descent parser (Stabler 2013)

<sup>1</sup>CP

▶ ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found

# Incremental Top-Down Parsing

## Technical details!

- ▶ String-driven recursive descent parser (Stabler 2013)

▶ ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found

${}^1CP_2$   
|  
 ${}^2C'$


# Incremental Top-Down Parsing

## Technical details!

- ▶ String-driven recursive descent parser (Stabler 2013)

▶ ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found






# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► • Who • does • Salem • T • mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found




# Incremental Top-Down Parsing

## Technical details!

- String-driven recursive descent parser (Stabler 2013)

► ● Who ● does ● Salem ● T ● mock

- step 1 *CP* is conjectured
- step 2 *CP* expands to *C'*
- step 3 *C'* expands to *does* and *TP*
- step 4 *TP* expands to *Salem* and *T'*
- step 5 *T'* expands to *T* and *VP*
- step 6 *VP* expands to *mock* and *who*
- step 7 *who* is found
- step 8 *does* is found
- step 9 *Salem* is found
- step 10 *T* is found
- step 11 *mock* is found



**Index and Outdex are our connection to memory!**

# Memory-Based Complexity Metrics

## ► Memory usage

(Gibson 1998, Kobele et al. 2012):

**Tenure** How long a node is kept in memory

**Size** How much information is stored in a node  
⇒ Intuitively, the length of its movement dependency!

## ► These can be formalized into **complexity metrics**

**MaxTenure**  $\max(\{\text{tenure-of}(n) \mid n \text{ a node of the tree}\})$

**SumSize**  $\sum_{m \in M} \text{size}(m)$

**Ranked**  $(\text{MaxTenure}, \text{SumSize})$



**Greg Kobele**



**Sabrina Gerth**



**John Hale**

# Memory-Based Complexity Metrics

## ► Memory usage

(Gibson 1998, Kobele et al. 2012):

**Tenure** How long a node is kept in memory

**Size** How much information is stored in a node  
⇒ Intuitively, the length of its movement dependency!

## ► These can be formalized into **complexity metrics**

**MaxTenure**  $\max(\{\text{tenure-of}(n) | n \text{ a node of the tree}\})$

**SumSize**  $\sum_{m \in M} \text{size}(m)$

**Ranked**  $\langle \text{MaxTenure}, \text{SumSize} \rangle$



Greg Kobele



Sabrina Gerth



John Hale



# Memory-Based Complexity Metrics

## ► Memory usage

(Gibson 1998, Kobele et al. 2012):

**Tenure** How long a node is kept in memory

**Size** How much information is stored in a node  
⇒ Intuitively, the length of its movement dependency!

## ► These can be formalized into **complexity metrics**

**MaxTenure**  $\max(\{\text{tenure-of}(n) | n \text{ a node of the tree}\})$

**SumSize**  $\sum_{m \in M} \text{size}(m)$

**Ranked**  $\langle \text{MaxTenure}, \text{SumSize} \rangle$



**Greg Kobele**




**Sabrina Gerth**




**John Hale**

# Computing Metrics: An Example



**Tenure** how long a node is kept in memory


# Computing Metrics: An Example



**Tenure** how long a node is kept in memory

$$\text{Tenure}(\text{does}) = 8 - 3 = 5$$

# Computing Metrics: An Example



**Tenure** how long a node is kept in memory

$$\mathbf{Tenure}(\text{does}) = 8 - 3 = 5$$

$$\mathbf{MaxTenure} = \max\{\mathbf{Tenure}(\text{does}), \mathbf{Tenure}(\text{Salem}), \dots\} = 5$$

# Automatizing Helps!

## 🐍 **mgproc: A Python Package for MG Processing Research**

This is a collection of Python3 scripts to facilitate the investigation of human processing from the perspective of Minimalist grammars (MGs).

### Background

MGs were developed in Stabler (1997) as a formalization of Chomsky's Minimalist program. A top-down parser for MGs is defined in Stabler (2013) and has been [implemented in a number of languages](#). A number of subsequent works have successfully used this parser to make predictions about relative difficulty in sentence processing. Good starting points with a review of the previous literature are Gerth (2015) and Graf et al. (to appear).

- Gerth, Sabrina: [Memory Limitations in Sentence Comprehension](#)
- Graf, Thomas, James Monette, and Chong Zhang (to appear): Relative Clauses as a Benchmark for Minimalist Parsing (link to be added soon)
- Stabler, Edward (1997): [Derivational Minimalism](#)
- Stabler, Edward (2013): [Two Models of Minimalist, Incremental Syntactic Analysis](#)

### Quick Start Guide


With *mgproc* you can easily compare MG derivation trees with respect to thousands of complexity measures for sentence processing. The scripts integrate well with a LaTeX-centric workflow, following the ideal of OpenScience publication form a cohesive unit. Usually a parsed derivation tree is specified by four files. Assuming `foo`, we have:



- ▶ Open source  $\Rightarrow$  in prep. for *Journal of Open Source Software*
- ▶ User-friendly!
- ▶ Easy to modify!

# Kayne's Promotion Analysis (Kayne 1994)


- ▶ RC is selected by an external  $D^0$
- ▶ the RC head is a nominal constituent
- ▶ the RC head raises from its base position to [Spec, CP]



$[_{DP} \text{The } [_{CP} \text{daughter}_i [ \text{that } t_i \text{ was on the balcony } ] ] ]$

# Kayne's Promotion Analysis (Kayne 1994)


- ▶ RC is selected by an external  $D^0$
- ▶ the RC head is a nominal constituent
- ▶ the RC head raises from its base position to [Spec, CP]



$[_{DP} \text{ The } [_{CP} \text{ daughter}_i [ \text{ that } t_i \text{ was on the balcony } ] ] ]$

# Kayne's Promotion Analysis (Kayne 1994)

- ▶ RC is selected by an external  $D^0$
- ▶ the RC head is a nominal constituent
- ▶ the RC head raises from its base position to [Spec, CP]




$[_{DP} \text{ The } [_{CP} \text{ daughter}_i [ \text{ that } t_i \text{ was on the balcony } ] ] ]$



# Kayne's Promotion Analysis (Kayne 1994)

- ▶ RC is selected by an external  $D^0$
- ▶ the RC head is a nominal constituent
- ▶ the RC head raises from its base position to [Spec, CP]




$[_{DP} \text{ The } [_{CP} \text{ daughter}_i [ \text{ that } t_i \text{ was on the balcony } ] ] ]$

## Postverbal Subjects (Belletti & Leonini 2004)

- (7) Inseguono il cavallo i leoni  
Chase the horse the lions  
“The lions chase the horse”

- ▶ the subject DP raises to Spec, FocP
- ▶ The whole  $vP$  raises to Spec, TopP




### Technical details!

- ▶ an expletive *pro* is base generated in Spec, TP

# Postverbal Subjects (Belletti & Leonini 2004)

- (8) Inseguono il cavallo **i leoni**  
 Chase the horse the lions  
 “The lions chase the horse”

- ▶ the **subject DP** raises to Spec, FocP
- ▶ The whole *vP* raises to Spec, TopP



## Technical details!

- ▶ an expletive *pro* is base generated in Spec, TP


# Postverbal Subjects (Belletti & Leonini 2004)

- (9) Inseguono il cavallo i leoni  
 Chase the horse the lions  
 “The lions chase the horse”

- ▶ the **subject DP** raises to Spec, FocP
- ▶ The whole **vP** raises to Spec, TopP

## Technical details!

- ▶ an expletive *pro* is base generated in Spec, TP




# Postverbal Subjects (Belletti & Leonini 2004)

- (9) Inseguono il cavallo i leoni  
 Chase the horse the lions  
 “The lions chase the horse”



- ▶ the **subject DP** raises to Spec, FocP
- ▶ The whole **vP** raises to Spec, TopP

## Technical details!


- ▶ an expletive *pro* is base generated in Spec, TP




## Results: SRC &gt; ORC



## Results: SRC &gt; ORC




## Results: SRC &gt; ORC





## Results: SRC &gt; ORC



# Italian Subjects: Probing the Results

Clause Type	MaxT	SumS
obj. SRC	8/ <i>che</i>	18
obj. ORC	11/ <i>ha</i>	24
obj. ORCp	16/ <i>Foc</i>	31
subj. SRC	21/ <i>v'</i>	37
subj. ORC	21/ <i>v'</i>	44
subj. ORCp	28/ <i>v'</i>	56
matrix SVO	3/ <i>ha/v'</i>	7
matrix VOS	7/ <i>Top/Foc</i>	11
VS unacc	2/ <i>vP</i>	3
VS unerg	7/ <i>Top/Foc</i>	11

**Table:** Summary of MAXT (*value/node*) and SUMS by construction. Obj. and subj. indicate the landing site of the RC head in the matrix clause.

# Postverbal Asymmetries: Possible Accounts?

## SRC > ORC

- ▶ DLT, active-filler strategy, Competition model, ...

## ORC > ORC<sub>p</sub>

- ▶ more problematic (e.g., for DLT)
- ▶ can be explained by
  - 1 economy of gap prediction + structural re-analysis;
  - 2 intervention effects + featural Relativized Minimality

Can we give a purely structural account?

# Postverbal Asymmetries: Possible Accounts?

## SRC > ORC

- ▶ DLT, active-filler strategy, Competition model, ...

## ORC > ORC<sub>p</sub>

- ▶ more problematic (e.g., for DLT)
- ▶ can be explained by
  - 1 economy of gap prediction + structural re-analysis;
  - 2 intervention effects + featural Relativized Minimality

Can we give a purely structural account?

# Postverbal Asymmetries: Possible Accounts?

## SRC > ORC



- ▶ DLT, active-filler strategy, Competition model, ...

## ORC > ORC<sub>p</sub>

- ▶ more problematic (e.g., for DLT)
- ▶ can be explained by
  - 1 economy of gap prediction + structural re-analysis;
  - 2 intervention effects + featural Relativized Minimality

**Can we give a purely structural account?**

## Results: ORC &gt; ORCp



## Additional Constructions

### ► Ambiguity in Matrix Clauses

(10) Ha chiamato Gio

Has called Giovanni

a. “He/she/it called Gio”

**SVO**

b. “Gio called”

**VS**

### ► Unaccusatives vs. Unergatives

(11) È arrivato Gio

Is arrived Gio

“Gio arrived”

**Unaccusative**

(12) Ha corso Gio

Has ran Gio



“Gio ran”

**Unergative**

# Gradience in Islands


A factorial design for islands effect:

► GAP POSITION × STRUCTURE





# Deriving Pairwise Comparisons



- ▶ Subj — Non Island > Obj — Non Island
- ▶ Subj — Non Island > Obj — Island
- ▶ Subj — Non Island > Subj — Island
- ▶ etc.

# A Caveat on Island Effects

## The Goal

Can **gradience** in acceptability judgments arise from a categorical grammar due to processing factors?

- ▶ Sprouse et al.'s (2012) design is ideal for the MG model.

**But I am not interested in island effects per se:**

- ▶ Islands: grammatical or processing effects?  
(Hofmeister et al., 2012a; Sprouse et al., 2012a,b)
  - ▶ hence, not modeling super-additivity
  - ▶ **spoilers:** maybe we get some insights?
- ▶ Islands: syntax or semantics?  
(Truswell, 2011; Kush et al., 2018; Matchin et al., 2018)

# A Caveat on Island Effects

## The Goal

Can **gradience** in acceptability judgments arise from a categorical grammar due to processing factors?

- ▶ Sprouse et al.'s (2012) design is ideal for the MG model.

## But I am not interested in island effects per se:

- ▶ Islands: grammatical or processing effects?  
(Hofmeister et al., 2012a; Sprouse et al., 2012a,b)
  - ▶ hence, not modeling super-additivity
  - ▶ **spoilers**: maybe we get some insights?
- ▶ Islands: syntax or semantics?  
(Truswell, 2011; Kush et al., 2018; Matchin et al., 2018)

# A Caveat on Island Effects

## The Goal

Can **gradience** in acceptability judgments arise from a categorical grammar due to processing factors?

- ▶ Sprouse et al.'s (2012) design is ideal for the MG model.

## But I am not interested in island effects per se:

- ▶ Islands: grammatical or processing effects?  
(Hofmeister et al., 2012a; Sprouse et al., 2012a,b)
  - ▶ hence, not modeling super-additivity
  - ▶ **spoilers**: maybe we get some insights?
- ▶ Islands: syntax or semantics?  
(Truswell, 2011; Kush et al., 2018; Matchin et al., 2018)

# A Caveat on Island Effects

## The Goal

Can **gradience** in acceptability judgments arise from a categorical grammar due to processing factors?

- ▶ Sprouse et al.'s (2012) design is ideal for the MG model.

## But I am not interested in island effects per se:

- ▶ Islands: grammatical or processing effects?  
(Hofmeister et al., 2012a; Sprouse et al., 2012a,b)
  - ▶ hence, not modeling super-additivity
  - ▶ **spoilers**: maybe we get some insights?
- ▶ Islands: syntax or semantics?  
(Truswell, 2011; Kush et al., 2018; Matchin et al., 2018)

# Models of Gradiance

(At least two) theories of gradiance:

- ▶ Gradiance incorporated in the grammar  
(Keller 2000; Featherston 2005; Lau et al. 2014)
- ▶ Gradiance due to extra-grammatical factors  
(Chomsky 1975; Schütze 1996)

The contribution of formal models?

Quantify what each approach needs to account for the data:

- ▶ Additional syntactic assumptions
- ▶ Additional complexity in acquisition, processing strategies, etc.

# Models of Gradience

(At least two) theories of gradience:

- ▶ Gradience incorporated in the grammar  
(Keller 2000; Featherston 2005; Lau et al. 2014)
- ▶ Gradience due to extra-grammatical factors  
(Chomsky 1975; Schütze 1996)

## The contribution of formal models?

Quantify what each approach needs to account for the data:

- ▶ Additional syntactic assumptions
- ▶ Additional complexity in acquisition, processing strategies, etc.

# Subject Islands

## Case 1:


- (13) a. **What** do you think the speech interrupted ***t***?      Obj — Non Island  
b. **What** do you think ***t*** interrupted the show?      Subj — Non Island  
c. **What** do you think the speech about global warming interrupted the show about ***t***?      Obj — Island  
d. **What** do you think the speech about ***t*** interrupted the show about global warming?      Subj — Island

## Case 2:


- (14) a. **Who** ***t*** thinks the speech interrupted the primetime TV show?      Matrix — Non Island  
b. **What** do you think ***t*** interrupted the primetime TV show?      Emb. — Non Island  
c. **Who** ***t*** thinks the speech about global warming interrupted the primetime TV show?      Matrix — Island  
d. **What** do you think the speech about ***t*** interrupted the primetime TV show?      Emb. — Island




# Subregular Complexity



# Subregular Complexity



# Subregular Complexity



# Cognitive Parallelism

## Strong Cognitive Parallelism Hypothesis

Phonology, (morphology), and syntax have the **same subregular complexity** over their respective **structural representations**.

**We gain a unified perspective on:**

- ▶ typology
- ▶ learnability
- ▶ cognition

# Cognitive Parallelism

## Strong Cognitive Parallelism Hypothesis

Phonology, (morphology), and syntax have the **same subregular complexity** over their respective **structural representations**.

### We gain a unified perspective on:

- ▶ typology
  - × Intervocalic Voicing iff applied **an even times** in the string
  - × Have a CP iff it dominates  $\geq 3$  TPs
- ▶ learnability
- ▶ cognition

# Cognitive Parallelism

## Strong Cognitive Parallelism Hypothesis

Phonology, (morphology), and syntax have the **same subregular complexity** over their respective **structural representations**.

### We gain a unified perspective on:

- ▶ typology
  - × Intervocalic Voicing iff applied **an even times** in the string
  - × Have a CP iff it dominates  $\geq 3$  TPs
- ▶ learnability
  - Learnable from positive examples of strings/trees.
- ▶ cognition

# Cognitive Parallelism

## Strong Cognitive Parallelism Hypothesis

Phonology, (morphology), and syntax have the **same subregular complexity** over their respective **structural representations**.

### We gain a unified perspective on:

- ▶ **typology**
  - × Intervocalic Voicing iff applied **an even times** in the string
  - × Have a CP iff it dominates  $\geq 3$  TPs
- ▶ **learnability**

Learnable from positive examples of strings/trees.
- ▶ **cognition**

Finite, flat memory

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$



# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$



# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶ Some island constraints arise naturally from this perspective (e.g., Adjunct Island Constraint, SpIC, ATB movement)

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$

- ▶  $1(a) \rightarrow a$

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$
- ▶ Some island constraints arise naturally from this perspective (e.g., Adjunct Island Constraint, SpIC, ATB movement)
- ▶ Constraints improve parsing performance by **exponentially reducing** the search space (Stabler 2013)

# Top-down Parsing + Grammaticalized Constraints?

Graf & De Santo (2019)

**Sensing Tree Automata** (Martens 2006) as a subregular bound on the complexity of syntactic dependencies.

- ▶  $0(b) \rightarrow b; 1(b) \rightarrow b$
- ▶  $1(a) \rightarrow a$
- ▶ Some island constraints arise naturally from this perspective (e.g., Adjunct Island Constraint, SpIC, ATB movement)
- ▶ Constraints improve parsing performance by **exponentially reducing** the search space (Stabler 2013)
- ▶ Can be pre-compiled in the MG parse schema as a deterministic **top-down filter** (De Santo & Graf, in prep.)

# Stacked RCs and Parallelism Effects

## English Stacked RCs (Zhang, 2017)

- (15) **The horse** [ $RC_1$  that **t** chased the wolf] [ $RC_2$  that **t** kicked the elephant] ... **ss**
- (16) **The horse** [ $RC_1$  that the wolf chased **t**] [ $RC_2$  that **t** kicked the elephant] ... **os**
- (17) **The horse** [ $RC_1$  that the wolf chased **t**] [ $RC_2$  that the elephant kicked **t**] ... **oo**
- (18) **The horse** [ $RC_1$  that **t** chased the wolf] [ $RC_2$  that the elephant kicked **t**] ... **so**

- ▶ Zhang (2017) found **parallelism effects** in stacked RC processing:  
SS << OS, OO << SO.
- ▶ But she also showed that no combination of metrics can account for these effects.
- ▶ Proposal: metric encoding **memory reactivation**

# Stacked RCs and Parallelism Effects

## English Stacked RCs (Zhang, 2017)

- (15) **The horse** [ $RC_1$  that **t** chased the wolf] [ $RC_2$  that **t** kicked the elephant] ... **ss**
- (16) **The horse** [ $RC_1$  that the wolf chased **t**] [ $RC_2$  that **t** kicked the elephant] ... **os**
- (17) **The horse** [ $RC_1$  that the wolf chased **t**] [ $RC_2$  that the elephant kicked **t**] ... **oo**
- (18) **The horse** [ $RC_1$  that **t** chased the wolf] [ $RC_2$  that the elephant kicked **t**] ... **so**

- ▶ Zhang (2017) found **parallelism effects** in stacked RC processing:  
SS << OS, OO << SO.
- ▶ But she also showed that no combination of metrics can account for these effects.
- ▶ Proposal: metric encoding **memory reactivation**


## Feature Reactivation

**REACTIVATION** For each node  $m_i$  associated to a movement feature  $f^-$ , its reactivation is  $i(m_i) - o(m_{i-1})$ ; the index of  $m_i$  minus the outdex of the closest preceding node also associated to  $f^-$ , if it exists.

- ▶ Assume the NPs are associated to the same movement feature  $f^-$

# Feature Reactivation


**REACTIVATION** For each node  $m_i$  associated to a movement feature  $f^-$ , its reactivation is  $i(m_i) - o(m_{i-1})$ ; the index of  $m_i$  minus the outdex of the closest preceding node also associated to  $f^-$ , if it exists.



► Assume the NPs are associated to the same movement feature  $f^-$

# Feature Reactivation

**REACTIVATION** For each node  $m_i$  associated to a movement feature  $f^-$ , its reactivation is  $i(m_i) - o(m_{i-1})$ ; the index of  $m_i$  minus the outdex of the closest preceding node also associated to  $f^-$ , if it exists.



► Assume the NPs are associated to the same movement feature  $f^-$

TENURE ( $NP_1$ )  $y - x$

TENURE ( $NP_2$ )  $z - w$

REACTIVATION( $NP_2$ )  $w - y$



# Feature Reactivation: Base Metrics

- ▶ feature-associated metrics

$$\text{SUMR}^f \sum_{m_i \in M^f} i(m_i) - o(m_{i-1})$$

$$\text{MAXR}^f \max(\{i(m_i) - o(m_{i-1}) \mid m_i \in M^f\})$$

$$\text{AVGR}^f \frac{\text{SUMR}}{|M^f|}$$

- ▶ comprehensive metrics

$$\text{SUMR} \sum_{f \in \mathcal{M}} \text{SUMR}^f$$

$$\text{MAXR} \max(\{\text{SUMR}^f \mid f \in \mathcal{M}\})$$

$$\text{AVGR} \frac{\text{SUMR}}{|\mathcal{M}|}$$

## Priming Effects

- (19) I saw
- a. [ $RC_1$  the horse that chased the lions ] **SRC**
  - b. and [ $RC_2$  the mouse that kissed the chicken ] **SRC**
- (20) I saw
- a. [ $RC_1$  The horse that chased the lions] **SRC**
  - b. and [ $RC_2$  the mouse that the chicken kissed ] **ORC**
- (21) I saw
- a. [ $RC_1$  the horse that the lions chased ] **ORC**
  - b. and [ $RC_2$  the mouse that kissed the chicken ] **SRC**
- (22) I saw
- a. [ $RC_1$  the horse that the lions chased] **ORC**
  - b. and [ $RC_2$  the mouse that the chicken kissed] **ORC**

# The Role of Economy

- ▶ Economy considerations ubiquitous in Generative syntax  
(Chomsky 1995, Collins 2001, Boskovic and Messick 2017, a.o.)

## But:

- ▶ What is the relevant notion of cost?
- ▶ What does simplicity mean in practice?
- ▶ Do fine-grained syntactic details matter?

## What's to come

- ▶ Implemented economy principles might diverge from general intuitions
- ▶ **A Test Case:**
  - The PR-First Hypothesis for Italian
  - MG model as a testing framework!

# The Role of Economy

- ▶ Economy considerations ubiquitous in Generative syntax  
(Chomsky 1995, Collins 2001, Boskovic and Messick 2017, a.o.)

## But:

- ▶ What is the relevant notion of cost?
- ▶ What does simplicity mean in practice?
- ▶ Do fine-grained syntactic details matter?

## What's to come

- ▶ Implemented economy principles might diverge from general intuitions
- ▶ **A Test Case:**
  - The PR-First Hypothesis for Italian
  - MG model as a testing framework!



**So Young Lee**

# Attachment and Relative Clauses (RC)

- ▶ They saw the daughter of the actress that was on the balcony

NP<sub>1</sub> **The daughter** was on the balcony HA

NP<sub>2</sub> **The actress** was on the balcony LA

English: **LA** interpretation

- ▶ Late Closure (Frazier 1978),  
Recency (Gibson 1991, Gibson et al. 1996), ...

## Universal locality principles?

- ▶ Spanish: **HA** interpretation
  - ▶ Tuning Hypothesis  
(Cuetos & Mitchell 1988, Mitchell & Cuetos 1991)  
Construal (Frazier & Clifton 1996), ...

# Attachment and Relative Clauses (RC)

- ▶ They saw the daughter of the actress that was on the balcony

NP<sub>1</sub> **The daughter** was on the balcony HA

NP<sub>2</sub> **The actress** was on the balcony LA

English: **LA** interpretation

- ▶ Late Closure (Frazier 1978),  
Recency (Gibson 1991, Gibson et al. 1996), ...

## Universal locality principles?

- ▶ Spanish: **HA** interpretation
  - ▶ Tuning Hypothesis  
(Cuetos & Mitchell 1988, Mitchell & Cuetos 1991)  
Construal (Frazier & Clifton 1996), ...

# A Complex Cross-Linguistic Scenario

## HA vs LA languages?

RC preferences cross-linguistically affected by a variety of factors

- ▶ Syntactic environment  
(Fernandez 2003, Gibson et al. 1996, De Vincenzi and Job 1993)
- ▶ Prosodic effects (Teira and Igoa 2007, Hemforth et al. 2015)
- ▶ Lexical-semantic properties of the DPs  
(MacDonald et al. 1994, Gilboy et al. 1995)
- ▶ Online vs. Offline Differences  
(Fernandez 2003, Wager et al. 2009, Lourenco-Gomes et al. 2011)
- ▶ Individual WM effects (Swets et al. 2007)

None of these fully accounts for the LA vs HA variation

# A Complex Cross-Linguistic Scenario

## HA vs LA languages?

RC preferences cross-linguistically affected by a variety of factors

- ▶ Syntactic environment  
(Fernandez 2003, Gibson et al. 1996, De Vincenzi and Job 1993)
- ▶ Prosodic effects (Teira and Igoa 2007, Hemforth et al. 2015)
- ▶ Lexical-semantic properties of the DPs  
(MacDonald et al. 1994, Gilboy et al. 1995)
- ▶ Online vs. Offline Differences  
(Fernandez 2003, Wager et al. 2009, Lourenco-Gomes et al. 2011)
- ▶ Individual WM effects (Swets et al. 2007)

**None of these fully accounts for the LA vs HA variation**



## Grillo & Costa: Pseudo-RCs in Italian



- (23) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
‘I saw [the grandma of the girl that was screaming]’

- ▶ RC: HA
- ▶ RC: LA

# Grillo & Costa: Pseudo-RCs in Italian

- (23) (Io) Ho visto [la nonna della ragazza che gridava]  
 (I) have seen the grandma of the girl that screaming  
 'I saw [the grandma of the girl that was screaming]'



- RC: HA
- RC: LA
- PR



# Grillo & Costa: Pseudo-RCs in Italian

- (23) (Io) Ho visto [la nonna della ragazza che gridava]  
 (I) have seen the grandma of the girl that screaming  
 'I saw [the grandma of the girl that was screaming]''

- ▶ RC: HA
- ▶ RC: LA
- ▶ PR: ~ HA



- ▶ RCs are NP-modifiers and denote properties of entities
- ▶ PRs are complements of VPs and denote events/situations
  - ▶ **Only** compatible with a **HA** reading!

# So What? PRs and Attachment Preferences

- ▶ The grandma of the girl that was screaming
  - ▶ RC: HA
  - ▶ RC: LA
  - ▶ PR: HA

## The Pseudo-Relative First Hypothesis (Grillo & Costa 2014)

All else being equal:

- ▶ When available: PR **preferred over** RC parse (so:  $\sim$  HA)
- ▶ Otherwise: LA RC **preferred over** HA RC parse

## So What? PRs and Attachment Preferences

- ▶ The grandma of the girl that was screaming
  - ▶ RC: HA
  - ▶ RC: LA
  - ▶ PR: HA


### The Pseudo-Relative First Hypothesis (Grillo & Costa 2014)

All else being equal:

- ▶ When available: PR **preferred over** RC parse (so:  $\sim$  HA)
- ▶ Otherwise: LA RC **preferred over** HA RC parse

# The PR First Hypothesis

- (24) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
'I saw [the grandma of the girl that was screaming]'



Syntactic tests (Grimshaw 1990, Cinque 1992, Rizzi 1996, 2000, 2006)


Appear freely with proper names, no relative pronouns, ...

Verb type restrictions

Tense/aspect restrictions

# The PR First Hypothesis

- (24) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
'I saw [the grandma of the girl that was screaming]'




Syntactic tests (Guasti 1999, Cinque 1992, Casalicchio 2013: a.o.)

- ▶ Appear freely with proper names, no relative pronouns, ...
- ▶ Verb type restrictions
- ▶ Tense/aspect restrictions

# The PR First Hypothesis

- (24) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
'I saw [the grandma of the girl that was screaming]'




Syntactic tests (Guasti 1999, Cinque 1992, Casalicchio 2013: a.o.)

- ▶ Appear freely with proper names, no relative pronouns, ...
- ▶ Verb type restrictions
- ▶ Tense/aspect restrictions



# The PR First Hypothesis

- (24) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
'I saw [the grandma of the girl that was screaming]'




Syntactic tests (Guasti 1999, Cinque 1992, Casalicchio 2013: a.o.)

- ▶ Appear freely with proper names, no relative pronouns, ...
- ▶ Verb type restrictions
- ▶ Tense/aspect restrictions

# The PR First Hypothesis

- (24) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
'I saw [the grandma of the girl that was screaming]'




Syntactic tests (Guasti 1999, Cinque 1992, Casalicchio 2013: a.o.)

- ▶ Appear freely with proper names, no relative pronouns, ...
- ▶ Verb type restrictions
- ▶ Tense/aspect restrictions

# The PR First Hypothesis

- (24) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
'I saw [the grandma of the girl that was screaming]'




Syntactic tests (Guasti 1999, Cinque 1992, Casalicchio 2013: a.o.)

- ▶ Appear freely with proper names, no relative pronouns, ...
- ▶ Verb type restrictions
- ▶ Tense/aspect restrictions

# The PR First Hypothesis

- (24) (Io) Ho visto [la nonna della ragazza che gridava]  
(I) have seen the grandma of the girl that screaming  
'I saw [the grandma of the girl that was screaming]'



Syntactic tests (Guasti 1999, Cinque 1992, Casalicchio 2013: a.o.)

- ▶ Appear freely with proper names, no relative pronouns, ...
- ▶ Verb type restrictions
- ▶ Tense/aspect restrictions

## Grillo and Costa (2014)

- ▶ The daughter of the actress [that was on the balcony]
  - ▶ RC: HA
  - ▶ RC: LA
  - ▶ PR: (~) HA

Online tool

- ▶ Italian: De Santo & Lee (2022a)
- ▶ Spanish: Aguilar et al. (2020)

## Grillo and Costa (2014)

- ▶ The daughter of the actress [that was on the balcony]
  - ▶ RC: HA
  - ▶ RC: LA
  - ▶ PR: (~) HA

### (57) Stimuli Experiment II

- a. PR/ RC CONDITION: PR-VERBS  
Gianni ha visto il figlio del medico che correva.  
*G. saw the son of the doctor running.*
- b. RC ONLY CONDITION: STATIVE VERBS  
Gianni vive con il figlio del medico che correva.  
*G. lives with the son of the doctor running.*

Online too!

- ▶ Italian: De Santo & Lee (2022a)
- ▶ Spanish: Aguilar et al. (2020)

# Grillo and Costa (2014)

- ▶ The daughter of the actress [that was on the balcony]
  - ▶ RC: HA
  - ▶ RC: LA
  - ▶ PR: (~) HA


## (57) Stimuli Experiment II

- a. PR/ RC CONDITION: PR-VERBS  
Gianni ha visto il figlio del medico che correva.  
*G. saw the son of the doctor running.*
- b. RC ONLY CONDITION: STATIVE VERBS  
Gianni vive con il figlio del medico che correva.  
*G. lives with the son of the doctor running.*

**Table 6**

Percentage of high attachment preferences.

Eventive	Stative
78.6%	24.2%



**Fig. 2.** Summary of attachment preference experiment 2.

Online too!

- ▶ Italian: De Santo & Lee (2022a)
- ▶ Spanish: Aguilar et al. (2020)

# Grillo and Costa (2014)

- ▶ The daughter of the actress [that was on the balcony]
  - ▶ RC: HA
  - ▶ RC: LA
  - ▶ PR: (~) HA

## (57) Stimuli Experiment II


- a. PR/ RC CONDITION: PR-VERBS  
Gianni ha visto il figlio del medico che correva.  
*G. saw the son of the doctor running.*
- b. RC ONLY CONDITION: STATIVE VERBS  
Gianni vive con il figlio del medico che correva.  
*G. lives with the son of the doctor running.*

Online too!

- ▶ Italian: De Santo & Lee (2022a)
- ▶ Spanish: Aguilar et al. (2020)

**Table 6**  
Percentage of high attachment preferences.

Eventive	Stative
78.6%	24.2%




**Fig. 2.** Summary of attachment preference experiment 2.



# PR-First: Why?

## Question

Why should PRs be preferred?



**One Hypothesis: Structural Economy** (Grillo & Costa 2014)


- ▶ PR structurally less complex than RC
- ▶ RCs: richer and more articulated functional domain

Can we evaluate structural economy quantitatively?

# PR-First: Why?

## Question

Why should PRs be preferred?



**One Hypothesis: Structural Economy** (Grillo & Costa 2014)

- ▶ PR structurally less complex than RC
- ▶ RCs: richer and more articulated functional domain

**Can we evaluate structural economy quantitatively?**

# Modeling PR-First

## Why should PRs be easier/preferred?

- ▶ Can we evaluate structural economy quantitatively?
- ▶ Do different syntactic choices matter?




Figure 2: Sketches of the (a) RC with Promotion, (b) RC with Wh-movement, and (c) PR analyses for the sentence *The horse that the wolf chased*.

# Modeling Results (De Santo & Lee, 2022b)

MG Parser: MaxT
Hypothesis
PR > HA
PR > LA
LA > HA

- (25) (Io) Ho visto la nonna della ragazza che gridava  
(I) have seen the grandma of the girl that screaming  
‘I saw the grandma of the girl that was screaming’

- ▶ The PR > HA RC depends on syntactic choices
- ▶ No metric predicts PR > LA RC
- ▶ In sum:
  - ▶ No immediate support for a parsing economy explanation
- ▶ LA > HA arises without explicit locality constraints!

# Modeling Results (De Santo & Lee, 2022b)

MG Parser: MaxT		
Hypothesis	Promotion	Wh-mov
PR > HA		
PR > LA		
LA > HA		

- (25) (Io) Ho visto la nonna della ragazza che gridava  
 (I) have seen the grandma of the girl that screaming  
 ‘I saw the grandma of the girl that was screaming’

- ▶ The PR > HA RC depends on syntactic choices
- ▶ No metric predicts PR > LA RC
- ▶ **In sum:**  
 No immediate support for a parsing economy explanation
- ▶ LA > HA arises without explicit locality constraints!

# Modeling Results (De Santo & Lee, 2022b)

MG Parser: MaxT		
Hypothesis	Promotion	Wh-mov
PR > HA	✓	Tie
PR > LA		
LA > HA		

- (25) (Io) Ho visto la nonna della ragazza che gridava  
(I) have seen the grandma of the girl that screaming  
‘I saw the grandma of the girl that was screaming’

- ▶ The PR > HA RC depends on syntactic choices
- ▶ No metric predicts PR > LA RC
- ▶ **In sum:**  
No immediate support for a parsing economy explanation
- ▶ LA > HA arises without explicit locality constraints!

# Modeling Results (De Santo & Lee, 2022b)

MG Parser: MaxT		
Hypothesis	Promotion	Wh-mov
PR > HA	✓	Tie
PR > LA	×	×
LA > HA		

- (25) (Io) Ho visto la nonna della ragazza che gridava  
 (I) have seen the grandma of the girl that screaming  
 ‘I saw the grandma of the girl that was screaming’

- ▶ The PR > HA RC depends on syntactic choices
- ▶ No metric predicts PR > LA RC
- ▶ **In sum:**  
 No immediate support for a parsing economy explanation
- ▶ LA > HA arises without explicit locality constraints!

# Modeling Results (De Santo & Lee, 2022b)

MG Parser: MaxT		
Hypothesis	Promotion	Wh-mov
PR > HA	✓	Tie
PR > LA	✗	✗
LA > HA	✓	✓

- (25) (Io) Ho visto la nonna della ragazza che gridava  
(I) have seen the grandma of the girl that screaming  
‘I saw the grandma of the girl that was screaming’

- ▶ The PR > HA RC depends on syntactic choices
- ▶ No metric predicts PR > LA RC
- ▶ **In sum:**  
No immediate support for a parsing economy explanation
- ▶ LA > HA arises without explicit locality constraints!



# Modeling Results (De Santo & Lee, 2022b)

MG Parser: MaxT		
Hypothesis	Promotion	Wh-mov
PR > HA	✓	Tie
PR > LA	✗	✗
LA > HA	✓	✓

- (25) (Io) Ho visto la nonna della ragazza che gridava  
(I) have seen the grandma of the girl that screaming  
‘I saw the grandma of the girl that was screaming’

- ▶ The PR > HA RC depends on syntactic choices
- ▶ No metric predicts PR > LA RC
- ▶ **In sum:**  
No immediate support for a parsing economy explanation
- ▶ LA > HA arises without explicit locality constraints!

# TI/Dr: The Value of Formal Models

## A fully specified model of syntactic cost:

- ▶ Allows evaluation of economy definitions
- ▶ Shows that syntactic choices affect “cost” in unexpected ways
- ▶ Suggest ways to narrow down the space of plausible accounts

## Beyond these results

- ▶ Cross-linguistic and cross-analysis validation
- ▶ A variety of definitions for *cost* in parsing (Boston, 2012)
  - ▶ E.g., # bounding nodes/phases, discourse referents, retrieval
  - ▶ Pragmatic Economy?  
E.g. Reference Theory (Altmann & Steedman 1988)
- ▶ Investigating economy principles more broadly

# TI/Dr: The Value of Formal Models

## A fully specified model of syntactic cost:

- ▶ Allows evaluation of economy definitions
- ▶ Shows that syntactic choices affect “cost” in unexpected ways
- ▶ Suggest ways to narrow down the space of plausible accounts

## Beyond these results

- ▶ Cross-linguistic and cross-analysis validation
- ▶ A variety of definitions for *cost* in parsing (Boston, 2012)
  - ▶ E.g., # bounding nodes/phases, discourse referents, retrieval
  - ▶ Pragmatic Economy?  
E.g. Reference Theory (Altmann & Steedman 1988)
- ▶ Investigating economy principles more broadly

# A Look at HA Languages (Grillo & Costa 2015)

**Table 4**

Attachment preferences and PR availability.

Language	Attachment	PRs
English	Low	.
Romanian	Low	.
Basque	Low	.
Chinese	Low	.
German (?)	High/Low	.
Russian (?)	High	.
Bulgarian (?)	High/Low	.
Norwegian (?)	Low	✓
Swedish (?)	Low	✓
Spanish	High	✓
Galician	High	✓
Dutch	High	✓
Italian	High	✓
French	High	✓
Serbo-Croatian	High	✓
Japanese	High	✓
Korean	High	✓
Greek	High	✓
Portuguese	High	✓

Figure: Survey of Attachment preferences from Grillo & Costa (2014)

# PRs: Modeling Results 1




Figure 3: Annotated derivation trees for the Italian sentence *I saw the grandma of the girl that screamed*, according to a pseudo-relative clause analysis. The tree is treated as a VP since additional structure in the matrix clause would be identical across comparisons.


MG Parser		
Hypothesis	Promotion	Wh-mov
PR < HA	✓	Tie
PR < LA	×	×
LA < HA	✓	✓

Table 1: Summary of the predictions made by a *pseudo-relative first* account, and corresponding parser's predictions based on MAXTENURE, as pairwise comparisons ( $x < y$ :  $x$  is preferred over  $y$ ).

MAXT		
	Promotion	Wh-mov
PR	10/CP	
HA	11/that	10/CP
LA	5/that	7/that

Table 2: MAXT values (*value/node*) by construction, with RCs modulated across a promotion and wh-movement analysis.

# PRs: Modeling Results 2



# Our Study

**Question:** Online effects of PR availability in Italian?

- ▶ Modulating:
  - ▶ Type of Verb: Perceptual vs. Non-perceptual
  - ▶ Attachment: HA vs. LA
- ▶ Temporal ambiguity HA/LA until # agreement on the **verb**

(2)	Verb	Interpretation	before	target	after	
a.	PR/RC (Perceptual)	LA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
b.	PR/RC (Perceptual)	HA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correva was running-SG	la the	maratona marathon
c.	RC only	LA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
d.	RC only	HA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correva was running-SG	la the	maratona marathon

- ▶ Counterbalancing # features (singular vs plural) on DP<sub>1</sub>/DP<sub>2</sub>

# Our Study

**Question:** Online effects of PR availability in Italian?

- ▶ Modulating:
  - ▶ Type of Verb: Perceptual vs. Non-perceptual
  - ▶ Attachment: HA vs. LA
- ▶ Temporal ambiguity HA/LA until # agreement on the **verb**
  - ▶ **Perceptual Verbs**: costly LA disambiguation (on verb)
  - ▶ **Non-Perceptual Verbs**: costly HA disambiguation (on verb)

(2)	Verb	Interpretation	before	target	after	
a.	PR/RC (Perceptual)	LA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
b.	PR/RC (Perceptual)	HA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correva was running-SG	la the	maratona marathon
c.	RC only	LA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
d.	RC only	HA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correva was running-SG	la the	maratona marathon

- ▶ Counterbalancing # features (singular vs plural) on DP<sub>1</sub>/DP<sub>2</sub>



# Decomposing the Hypothesis: Perceptual Verbs

- Temporal HA/LA ambiguity until # agreement on the **verb**

(2)	Verb	Interpretation	before	target	after	
a.	PR/RC (Perceptual)	LA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
b.	PR/RC (Perceptual)	HA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correva was running-SG	la the	maratona marathon
c.	RC only	LA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
d.	RC only	HA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correva was running-SG	la the	maratona marathon

## Perceptual Verbs

- PR vs RC
- PR-first: HA-like interpretation is preferred
- LA disambiguation (on verb) should be costly

# Decomposing the Hypothesis: Perceptual Verbs

- Temporal HA/LA ambiguity until # agreement on the **verb**

(2)	Verb	Interpretation	before	target	after	
a.	PR/RC (Perceptual)	LA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
b.	PR/RC (Perceptual)	HA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correva was running-SG	la the	maratona marathon
c.	RC only	LA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
d.	RC only	HA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correva was running-SG	la the	maratona marathon

## Non-Perceptual Verbs

- Just RC
- LA interpretation (more local) is preferred
- HA disambiguation (on verb) should be costly

## Study Details: Summary of Predictions

- ▶ Temporarily ambiguous sentences modulating:
  - ▶ Type of Verb: Perceptual vs. Non-perceptual
  - ▶ Attachment: HA vs. LA

### Hypothesis

#### **Perceptual Verbs**

- ▶ LA disambiguation (on verb) should be costly

#### **Non-Perceptual Verbs**

- ▶ HA disambiguation (on verb) should be costly

- ▶ 74 participants (recruited through Prolific, run on Ibex Farm)
- ▶ 24 item sets, 48 fillers
- ▶ Self-paced reading

# Results: Behavioral Data






Figure 2. The results of the comprehension test




- No effect of Verb, Attachment, or Interaction

# Results: Sentence Reading Time



- Effect of the Verb ( $p < 0.01$ ) and Verb\*Attachment ( $p < 0.05$ )

# Results: RTs by ROI



## Hypothesis


- ▶ **Percep**: LA costly
  - ▶ **Non-Perc**: HA costly
- 
- ▶ Pre-Target: No Effect
  - ▶ Target: Verb\*Attachment ( $p < 0.01$ )
  - ▶ Spillover: Verb\*Attachment ( $p < 0.001$ ) and Verb ( $p < 0.001$ )

# Online Effects: Stimuli and RTs

(2)	Verb	Interpretation	before	target	after	
a.	PR/RC (Perceptual)	LA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
b.	PR/RC (Perceptual)	HA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correva was running-SG	la the	maratona marathon
c.	RC only	LA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
d.	RC only	HA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correva was running-SG	la the	maratona marathon

# Online Effects: Stimuli and RTs

(2)	Verb	Interpretation	before	target	after	
a.	PR/RC (Perceptual)	LA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
b.	PR/RC (Perceptual)	HA Gianni vide il figlio dei medici Gianni saw the son-SG of the doctors-PL	che who	correva was running-SG	la the	maratona marathon
c.	RC only	LA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correvano were running-PL	la the	maratona marathon
d.	RC only	HA Gianni visse con il figlio dei medici Gianni lived with the son-SING of the doctors-PL	che who	correva was running-SG	la the	maratona marathon



## Hypothesis (@ verb)

- **Percep**: LA costly
- **Non-Perc**: HA costly

See also Aguilar et al. (2021)



# PRs vs RCs: Interpretative Differences

(6) RC: *John saw the man that runs*



120  $\exists e$  [see( $e$ ) & EXPERIENCER( $e$ )(John) & STIMULUS(the unique man that ran( $e$ ))]

There is an event of *seeing* and the experiencer of that event is *John* and the stimulus of the event is *the unique man that ran*.<sup>8</sup>

121 (7) PR: *John saw the man running*



122  $\exists e \exists e'$  [see( $e$ ) & EXPERIENCER( $e$ )(John) & STIMULUS( $e'$ )( $e$ ) & run( $e'$ ) & AGENT( $e'$ )(the man)]

123 There is an event of *seeing* and the experiencer  
124 of that event is *John* and the stimulus of the event  
125 is *an event of running* and the agent of running  
126 is *the man*.<sup>9</sup>

# PRs vs RCs 1

i. PRs appear freely with proper names (13-a), contrary to RCs (13-b).<sup>7</sup>

- (13) a. Ho visto Gianni che correva (Italian)  
 He visto a [<sub>PR</sub> Juan que corría] (Spanish)  
 J'ai vu [<sub>PR</sub> Jean qui courait] (French)  
 'I saw Gianni running.'  
 b. \*I saw John that ran.  
 c. Ho visto Gianni, che correva. Appositive

ii. Relative pronouns are banned from PRs, but obviously not from RCs:

- (14) \*Ho visto Gianni il quale correva.  
 Have.I seen Gianni the which run.IMPF.  
 'I saw Gianni who was running.'

iii. Just like other types of Small Clauses (see ungrammatical translation), PRs are only available with embedded subjects and cannot be construed with embedded objects (15-a), this restriction obviously does not apply to RCs (15-b)<sup>8</sup>:

- (15) a. \*Luigi ha visto [<sub>PR</sub> Gianni<sub>i</sub> che Maria baciava EC<sub>i</sub>].  
 Luigi saw Gianni that Maria kissed EC.  
 'Luigi saw John Mary kissing EC.'  
 b. Luigi ha visto il ragazzo che Maria ha baciato <ragazzo>.  
 'Luigi saw the boy that Mary kissed.'

## PRs vs RCs 2: Tense and Aspect Restrictions

- (16) Ho visto il ragazzo/ \*Gianni che correrà.  
Have.I seen the boy/ \*Gianni that run.FUT 'I saw  
the boy/\*Gianni that will run.'

v. Restrictions to both inner and outer aspect hold for PRs. PRs require imperfective, but not perfective, aspect (17-a), as they denote ongoing events. They are further restricted to stage level properties and cannot denote individual level properties (17-b). Neither of these restrictions applies to RCs.

- (17) a. Ho visto Gianni che correva/ \*che è corso a casa.  
'I saw Gianni running/ that had run home.'  
b. Ho visto Gianni che aveva gli occhi rossi/  
\*aveva gli occhi blu.  
I saw Gianni that had the eyes red/ had the eyes blue.  
'I saw Gianni with red eyes/ with blue eyes.' (Casalicchio, 2013, p. 117, ex. 160)

## PRs vs RCs 3

Additionally, PRs and SCs can be freely coordinated (20-a,b), while neither of them can be coordinated with RC (which is further evidence against a RC analysis of PRs or other types of clausal complements (20-c,d)).

- (20) a. SC & PR:  
Ho visto [Gianni depresso] e [Piero che cercava di risollevarlo].  
'I saw G. depressed and P. that was trying to cheer him up.'
- b. SC & PR:  
Ho visto [Gianni [depresso] e [che piangeva]].  
'I saw G. depressed and that was crying.'
- c. \*RC & PR/SC:  
\*Ho visto [Gianni, [che vive con Maria], e [depresso/ che piangeva]].  
'I saw G., who lives with M. and depressed/ that was crying.'
- d. \*PR/SC & FINITE CP:  
\*Ho visto [Gianni [che piangeva/ depresso] e [che P. cercava di risollevarlo]].  
'I saw G. crying/ depressed and that P. tried to cheer him up.'

# PRs vs RCs 4

- iii. Just like other types of Small Clauses (see ungrammatical translation), PRs are only available with embedded subjects and cannot be construed with embedded objects (15-a), this restriction obviously does not apply to RCs (15-b)<sup>8</sup>:

- (15) a. \*Luigi ha visto [<sub>PR</sub> Gianni<sub>i</sub> che Maria baciava EC<sub>i</sub>].  
Luigi saw Gianni that Maria kissed EC.  
'Luigi saw John Mary kissing EC.'  
b. Luigi ha visto il ragazzo che Maria ha baciato <ragazzo>.  
'Luigi saw the boy that Mary kissed.'